

# LISOCLEAN DC™

## Daily cleaner

## Section 820

*The green power for your surfaces*



### CHARACTERISTICS

LisoClean DC™ :

- is a multi-surfaces surfactant based cleaner.
- can be used on any kind of surface.
- can be used by scrubber driers or for manual cleaning.

### AREAS OF APPLICATION

LisoClean DC™ can be used for many applications::

- Offices buildings,
- Collectivities,
- Food industries,
- Industrial premises,
- School,
- Commercial unit,
- Administration,
- Hospitals,
- ...

### PHYSICAL PROPERTIES

- Clear liquid color TBD
- Odour: TBD
- Specific Gravity: 1.035 ± 0,010
- pH at 10% dilution: 11,5 ± 1,00
- Shelf Life: One year in original unopened factory containers and stored under normal storage conditions.

### PACKAGING

LisoClean DC™ is supplied in 5 L bottle, 25 L pail, 200 L drum and 1000 L container. Special packaging on request.

### SAFETY

For further information, refer to the appropriate Material Safety Data Sheet, however:

- Keep out of reach of children
- Protect from freezing
- Wear safety glasses and rubber gloves

LisoChem S.A.  
18, Route de Bigonville | L-8832 Rombach  
Grand-Duché de Luxembourg  
Phone: +352 26 616 792 | Fax: +352 26 616 793

[www.lisochem.com](http://www.lisochem.com)

 **LISOCHEM**  
Chemicals for Construction

# LISOCLEAN DC™

## Daily cleaner

## Section 820

*The green power for your surfaces*

### CUSTOMER SERVICE

+352 26 616 792  
info@lisochem.com  
to verify the most current versions,  
visit our website:  
www.lisochem.com

### TECHNICAL SERVICE

+352 26 616 792  
technical@lisochem.com

### WEB

www.lisochem.com

### FOR CHEMICAL/MEDICAL EMERGENCIES ONLY,

Anti Poison BE +32 70 245 245  
Outside USA 352-323-3500

### PREPARATION AND APPLICATION

LisoClean DC™ has to be diluted with water. The dilution has to be between 1% (10ml/L) and 5% (50ml/L).

If LisoClean DC™ is to be used in scrubbing driers, please refer to the machine supplier directions.

In case of manual use apply following the dirtiness of the floor.

Use a brush or microfiber mop to clean with the diluted solution.

Let the product react.

Rinse with plenty of water.

LisoChem S.A.  
18, Route de Bigonville | L-8832 Rombach  
Grand-Duché de Luxembourg  
Phone: +352 26 616 792 | Fax: +352 26 616 793

[www.lisochem.com](http://www.lisochem.com)



# LISOCLEAN DC™

Section 820

## Daily cleaner

*The green power for your surfaces*

### WARRANTY

LiSoChem SA. will, as it sees fit, refund a defective product if it has been used properly.

Except as expressly stated above, the Company offers no guarantee of merchantability or suitability for any particular purpose, nor does it make any guarantee of any kind whatsoever, expressed or implied, with regards to the product or its use.

The company shall not be liable in any way for delay caused by defects, for inappropriate use, for indirect, special or consequential damages, or for any charges or expenses of any nature incurred without its written consent.

*Eco-friendly  
Product*



LiSoChem S.A.  
18, Route de Bigonville | L-8832 Rombach  
Grand-Duché de Luxembourg  
Phone: +352 26 616 792 | Fax: +352 26 616 793

[www.lisochem.com](http://www.lisochem.com)

 **LISO-CHEM**  
Chemicals for Construction