

LISOCLEAN MF™

Moss and Fungi cleaner

Section 850

The green power for your surfaces



CHARACTERISTICS

LisoClean MF™ :

- is a cleaner to disinfect areas with growth of algae, bacteria and fungi.
- can be used on nearly all washable surfaces.
- will work very actively against re-growth of moss, algae and lichens.
- is nearly odour free and doesn't give any odour to cleaned surfaces or materials.

AREAS OF APPLICATION

LisoClean MF™ can be used on most mineral surfaces:

- Roof tiles
- Facades
- Masonry
- Concrete
- Pavement
- Natural stones
- ...

PHYSICAL PROPERTIES

- Clear liquid
- Odour: weak
- Specific Gravity: 1.04
- pH undiluted: 7-8
- Solubility: water-soluble
- Shelf Life: One year in original unopened factory containers and stored under normal storage conditions.

PACKAGING

LiSoClean MF™ is supplied in 5 L bottle, 25 L pail, 200 L drum and 1000 L container. Special packaging on request.

SAFETY

For further information, refer to the appropriate Material Safety Data Sheet, however:

- Keep out of reach of children
- Protect from freezing
- Wear safety glasses and rubber gloves
- Do not apply to metal
- Do not apply to glass
- Do not apply near fish ponds or similar
- Make sure the product does not get into the aquatic environment

LisoChem S.A.
18, Route de Bigonville | L-8832 Rombach
Grand-Duché de Luxembourg
Phone: +352 26 616 792 | Fax: +352 26 616 793

www.lisochem.com

 **LISO-CHEM**
Chemicals for Construction

LISOCLEAN MF™

Moss and Fungi cleaner

Section 850

The green power for your surfaces

CUSTOMER SERVICE

+352 26 616 792
info@lisochem.com
to verify the most current versions,
visit our website:
www.lisochem.com

TECHNICAL SERVICE

+352 26 616 792
technical@lisochem.com

WEB

www.lisochem.com

FOR CHEMICAL/MEDICAL EMERGENCIES ONLY,

Anti Poison BE +32 70 245 245
Outside USA 352-323-3500

PREPARATION AND APPLICATION

LisoClean MF™ has to be diluted, mix 1 part with 50 parts of warm water; on really infested surfaces apply a dilution of 1 part of product with 25 parts of warm water.

Apply LisoClean MF™ with spray or brush and let the product react.

After application the growth will be removed within 5 days.

LisoChem S.A.
18, Route de Bigonville | L-8832 Rombach
Grand-Duché de Luxembourg
Phone: +352 26 616 792 | Fax: +352 26 616 793

www.lisochem.com



LISOCLEAN MF™

Moss and Fungi cleaner

Section 850

The green power for your surfaces

WARRANTY

LiSoChem SA. will, as it sees fit, refund a defective product if it has been used properly.

Except as expressly stated above, the Company offers no guarantee of merchantability or suitability for any particular purpose, nor does it make any guarantee of any kind whatsoever, expressed or implied, with regards to the product or its use.

The company shall not be liable in any way for delay caused by defects, for inappropriate use, for indirect, special or consequential damages, or for any charges or expenses of any nature incurred without its written consent.

*Eco-friendly
Product*



LiSoChem S.A.
18, Route de Bigonville | L-8832 Rombach
Grand-Duché de Luxembourg
Phone: +352 26 616 792 | Fax: +352 26 616 793

www.lisochem.com

 **LISO-CHEM**
Chemicals for Construction